



SAUDI ARAMCO's
Scaffold Tagging
System

SAUDI ARAMCO's Scaffold Tagging System

Press a button below to go to a specific section of this presentation



Why Use a
Scaffold Tagging System?



The
Main Elements



Step by Step
Guide



Entering
Information



Summary



Complete
Presentation

You can return to this page at the end of each section by pressing the Home Button



PRESS HERE
To return to
Home Page



PRESS HERE
TO END SHOW

Why Use a Scaffold Tagging System?

2

السقالة اجتازت المعاينة
SCAFFOLD PASSED INSPECTION

SCAFFOLD LOCATION OR # _____
 LOAD RATING: LIGHT (25 PSF) MEDIUM (50 PSF) SPECIAL
 MAX # LEVELS WORKING _____ TOTAL PLANNED _____

SCAFFOLD SUPERVISOR*				
Summary	Inspector # 1	Inspector # 2	Inspector # 3	Inspector # 4
PRINT NAME				
SIGNATURE				
PHONE #				
CERTIFICATE #				

SCAFFOLD INSPECTOR*				
Summary	Inspector # 1	Inspector # 2	Inspector # 3	Inspector # 4
PRINT NAME				
SIGNATURE				
PHONE #				
CERTIFICATE #				

DATE OF NEXT INSPECTION: M/D/Y M/D/Y M/D/Y M/D/Y

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-407-00)
 UNAUTHORIZED ALTERATION OF SCAFFOLD OR GREEN TAG VOID
 THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION
*Scaffold Supervisor must sign if scaffold is less than 6m (20') high. Scaffold Supervisor and Scaffold Inspector must both sign if scaffold is more than 6m (20') high or if Special Scaffold per OSHA.

© SCAFFTAG ® // SAFETRAK ® TEL: (0)1446 721029 REF STS: 419

1



لا تستخدم السقالة
DO NOT USE SCAFFOLD

SAUDI ARAMCO
 (S.A.M.S. REF : # 21-000-406-00)

©SCAFFTAG® /// SAFETRAK®
 TEL: +44 (0) 1446 721029
 REF. STH 419 MKI

3

مطلوب ارتداء أحزمة
 لكامل الجسم
FULL BODY HARNESS REQUIRED

SCAFFOLD LOCATION OR # _____
 LOAD RATING: LIGHT (25 PSF) MEDIUM (50 PSF) SPECIAL
 MAX # LEVELS WORKING _____ TOTAL PLANNED _____

SCAFFOLD SUPERVISOR*		SCAFFOLD INSPECTOR*	
Summary	Inspector # 1	Inspector # 2	Inspector # 3
PRINT NAME			
SIGNATURE			
PHONE #			
CERTIFICATE #			

DATE OF NEXT INSPECTION (M / D / Y) _____

YELLOW TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-406-00)
 UNAUTHORIZED ALTERATION OF SCAFFOLD OR YELLOW TAG VOID THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION
*Scaffold Supervisor must sign if scaffold is less than 6m (20') high. Scaffold Supervisor and Scaffold Inspector must both sign if scaffold is more than 6m (20') high or if Special Scaffold per OSHA.

© SCAFFTAG ® // SAFETRAK ® TEL: (0)1446 721029 REF STS: 420



PRESS HERE
To return to
Home Page

- SAUDI ARAMCO's scaffold tagging system will help prevent scaffold-related injuries and fatalities by indicating whether or not a scaffold is safe for use
- SAUDI ARAMCO requires its use (per General Instruction 8.001)
- Therefore, a full understanding of the SAUDI ARAMCO scaffold tagging system is essential



Why use a Scaffold Tagging System?

The Main Elements



2

السقالة اجتازت المعاينة
SCAFFOLD PASSED INSPECTION

SCAFFOLD LOCATION OR # _____
 LOAD RATING: LIGHT (25 PSF) MEDIUM (50 PSF) SPECIAL
 MAX # LEVELS WORKING _____ TOTAL PLANNED _____

SCAFFOLD SUPERVISOR*

Bi-weekly	Inspector # 1	Inspector # 2	Inspector # 3	Inspector # 4
PRINT NAME				
SIGNATURE				
PHONE #				
CERTIFICATE #				

SCAFFOLD INSPECTOR*

Bi-weekly	Inspector # 1	Inspector # 2	Inspector # 3	Inspector # 4
PRINT NAME				
SIGNATURE				
PHONE #				
CERTIFICATE #				

DATE OF NEXT INSPECTION

M/D/Y	M/D/Y	M/D/Y	M/D/Y
-------	-------	-------	-------

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-407-00)
 UNAUTHORIZED ALTERATION OF SCAFFOLD OR GREEN TAG VOID
 THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION
*Scaffold Supervisor shall sign if scaffold is less than 10m (33ft) high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 10m (33ft) high or if Special Scaffold per IS 6 201

© SCAFFTAG ® // SAFETRAK ® TEL: (0)1446 721029 REF STS: 419

1

لا تستخدم السقالة
DO NOT USE SCAFFOLD

SAUDI ARAMCO
 (S.A.M.S. REF : # 21-000-406-00)

©SCAFFTAG ® // SAFETRAK ®
 TEL. +44 (0) 1446 721029
 REF. STH 419 MKII

3

مطلوب ارتداء أحزمة
 لكامل الجسم
FULL BODY HARNESS REQUIRED

SCAFFOLD LOCATION OR # _____
 LOAD RATING: LIGHT (25 PSF) MEDIUM (50 PSF) SPECIAL
 MAX # LEVELS WORKING _____ TOTAL PLANNED _____

SCAFFOLD SUPERVISOR*

PRINT NAME		SCAFFOLD INSPECTOR*	
SIGNATURE		SIGNATURE	
PHONE #		PHONE #	
CERTIFICATE #		CERTIFICATE #	

DATE OF NEXT INSPECTION (M / D / Y) _____
YELLOW TAG VALID UNTIL NEXT INSPECTION DATE

MKII: *The IS 6 201, a properly anchored full body harness shall be worn at all times by all persons working on a scaffold that is tagged with a yellow scaffold tag.

SAUDI ARAMCO (S.A.M.S. REF : #21-000-406-00)
 UNAUTHORIZED ALTERATION OF SCAFFOLD OR YELLOW TAG VOID
 THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION
*Scaffold Supervisor shall sign if scaffold is less than 10m (33ft) high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 10m (33ft) high or if Special Scaffold per IS 6 201.

© SCAFFTAG ® // SAFETRAK ® TEL: (0)1446 721029 REF STS: 420



1

Red Scaffold Tag

SCAFFTAG® Holder
S/N 1000123277
(old SAMS # 21-000-406-000)

“DO NOT USE
SCAFFOLD”
message must
be visible



Indicates the scaffold has not been inspected or is not safe for use (by anyone other than scaffold craftsmen)

The Main Elements

2

Green Scaffold Tag

SCAFFTAG® Insert
S/N 1000123290
(old SAMS # 21-000-407-000)

Insert fits
into holder

السقالة اجتازت المعاينة
SCAFFOLD
PASSED INSPECTION

SCAFFOLD LOCATION OR # TANK 05
LOAD RATING: LIGHT (25 PSF) MEDIUM (50 PSF) SPECIAL
MAX # LEVELS: WORKING 2 TOTAL PLANKED 6

SCAFFOLD SUPERVISOR*				
Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME	عبدالله	عبدالله	عبدالله	عبدالله
SIGNATURE	عبدالله	عبدالله	عبدالله	عبدالله
PHONE #	675-2400	675-2400	675-2400	675-2400
CERTIFICATE #	233400	233400	233400	233400

SCAFFOLD INSPECTOR*				
Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME	عبدالله	عبدالله	عبدالله	عبدالله
SIGNATURE	عبدالله	عبدالله	عبدالله	عبدالله
PHONE #	675-2500	675-2500	675-2500	675-2500
CERTIFICATE #	451056	451056	451056	451056

DATE OF NEXT INSPECTION: M/D/Y M/D/Y M/D/Y M/D/Y
2/14/02 2/28/02 3/14/02 3/28/02

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-407-00)
UNAUTHORIZED ALTERATION OF SCAFFOLD OR GREEN TAG VOIDS THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION
*Scaffold Supervisor shall sign if scaffold is less than 5m (15') high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 5m (15') high or if Special Scaffold per Q 5.051.
© SCAFFTAG™ // SAFETRAK™ TEL: (0)1446 721029 REF 5T51 419

Indicates scaffold is complete, has been inspected, and is safe for use at the time of inspection

GREEN scaffold tag valid for a maximum of two weeks

The Main Elements

3

Yellow Scaffold Tag

SCAFFTAG® Insert
S/N 1000123293
(old SAMS # 21-000-408-000)

Insert fits
into holder



مطلوب ارتداء أحزمة
لنكامل الجسم

**FULL BODY
HARNES REQUIRED**

SCAFFOLD LOCATION OR #	T-2-NZ-105		
LOAD RATING: LIGHT (25 PSF)	<input checked="" type="checkbox"/> MEDIUM (50 PSF)	SPECIAL	
MAX # LEVELS WORKING	2	TOTAL PLANKED	6
SCAFFOLD SUPERVISOR		SCAFFOLD INSPECTOR	
NAME	S. SULLMAN	PRINT NAME	F. OULLEI
SIGNATURE	<i>S. Sullman</i>	SIGNATURE	<i>F. Oullei</i>
PHONE #	673-2400	PHONE #	673-2500
CERTIFICATE #	255100	CERTIFICATE #	25 996
DATE OF NEXT INSPECTION (M / D / Y)	4/10/02		
YELLOW TAG VALID UNTIL NEXT INSPECTION DATE			

NOTE: For O & M, a properly anchored full body harness shall be worn at all times by all persons working on a scaffold that is tagged with a yellow scaffold tag.

SAUDI ARAMCO (S.A.M.S. REF : #21-000-408-00)
UNAUTHORIZED ALTERATION OF SCAFFOLD OR YELLOW TAG VIOLATES THIS TAG AND WILL
MAKE YOU SUBJECT TO DISCIPLINARY ACTION

*Scaffold Supervisor shall sign if scaffold is less than 6m (20') high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 6m (20') high or if Special Scaffold per O & M.

© SCAFFTAG ® BY SAFETRAK ® TEL: (0)1446 721029 REF STSI 420

Indicates scaffold has been inspected and may be used only by workers wearing a properly anchored personal fall arrest system, including a full body harness and lanyard

YELLOW scaffold tag
valid for two weeks
maximum

The Main Elements

● YELLOW Scaffold Tag

- In no case shall a scaffold that is missing members required for structural stability (i.e., bearers, runners, posts, or braces) be tagged with **YELLOW** or **GREEN** scaffold tag(s)

مطلوب ارتداء أحزمة لكامل الجسم			
FULL BODY HARNES REQUIRED			
SCAFFOLD LOCATION OR #:	T.M.C. 105		
LOAD RATING: LIGHT (25 PSF)	<input checked="" type="checkbox"/> MEDIUM (50 PSF)	<input type="checkbox"/> SPECIAL	
MAX # LEVELS WORKING	2	TOTAL PLANKED	6
SCAFFOLD SUPERVISOR		SCAFFOLD INSPECTOR	
PRINT NAME	S. S. S. MASH	PRINT NAME	Y. O. ALI
SIGNATURE	S. S. S. MASH	SIGNATURE	Y. O. ALI
PHONE #	675-2400	PHONE #	675-2500
CERTIFICATE #	255100	CERTIFICATE #	251056
DATE OF NEXT INSPECTION (M / D / Y)	4/10/02		
YELLOW TAG VALID UNTIL NEXT INSPECTION DATE			
<small>NOTE: "Full Body" is a properly anchored full body harness shall be worn at all times by all persons working on a scaffold that is tagged with a yellow scaffold tag.</small>			
SAUDI ARAMCO (S.A.M.S. REF : #21-000-408-00)			
UNAUTHORIZED ALTERATION OF SCAFFOLD OR YELLOW TAG VIOLATES THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION			
<small>*Scaffold Supervisor shall sign if scaffold is less than 100' high, Scaffold Inspector and Scaffold Inspector shall both sign if scaffold is more than 100' high or if Special Scaffold per SA 8.061.</small>			
© SCAFFTAG ® / SAFETRAK ® TEL: (0)1448 721029 REF STS: 420			



PRESS HERE
To return to
Home Page

Step by Step Guide to Using Scaffold Tag Holders and Inserts



2

السقالة اجتازت المعاينة
SCAFFOLD PASSED INSPECTION

SCAFFOLD LOCATION OR # _____
 LOAD RATING: LIGHT (25 PSF) MEDIUM (50 PSF) SPECIAL
 MAX # LEVELS WORKING _____ TOTAL PLANKED _____

SCAFFOLD SUPERVISOR*
 (S.A.M.S. REF: # 21-000-407-00)
 Bi-lingual Inspector # 1 Inspector # 2 Inspector # 3 Inspector # 4
 PRINT NAME _____
 SIGNATURE _____
 PHONE # _____
 CERTIFICATE # _____

SCAFFOLD INSPECTOR*
 (S.A.M.S. REF: # 21-000-407-00)
 Bi-lingual Inspector # 1 Inspector # 2 Inspector # 3 Inspector # 4
 PRINT NAME _____
 SIGNATURE _____
 PHONE # _____
 CERTIFICATE # _____

DATE OF NEXT INSPECTION M/D/Y _____ M/D/Y _____ M/D/Y _____ M/D/Y _____

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF: #21-000-407-00)
 UNAUTHORIZED ALTERATION OF SCAFFOLD OR GREEN TAG VOID
 THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION
*Scaffold Supervisor shall sign if scaffold is more than 100' high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 200' high or if Special Scaffold per 10-6.001

© SCAFFTAG ® // SAFETRAK ® TEL: (0)1446 721029 REF: STS: 419

3

مطلوب ارتداء أحزمة
 لكامل الجسم
FULL BODY HARNESS REQUIRED

SCAFFOLD LOCATION OR # _____
 LOAD RATING: LIGHT (25 PSF) MEDIUM (50 PSF) SPECIAL
 MAX # LEVELS WORKING _____ TOTAL PLANKED _____

SCAFFOLD SUPERVISOR*
 (S.A.M.S. REF: # 21-000-406-00)
 PRINT NAME _____
 SIGNATURE _____
 PHONE # _____
 CERTIFICATE # _____

SCAFFOLD INSPECTOR*
 (S.A.M.S. REF: # 21-000-406-00)
 PRINT NAME _____
 SIGNATURE _____
 PHONE # _____
 CERTIFICATE # _____

DATE OF NEXT INSPECTION (M / D / Y) _____

YELLOW TAG VALID UNTIL NEXT INSPECTION DATE

NOTE: "Per 10-6.001, a properly anchored full body harness shall be worn at all times by all persons working on a scaffold that is tagged with a yellow scaffold tag."

SAUDI ARAMCO (S.A.M.S. REF: #21-000-406-00)
 UNAUTHORIZED ALTERATION OF SCAFFOLD OR YELLOW TAG VOID THIS TAG AND WILL
 MAKE YOU SUBJECT TO DISCIPLINARY ACTION
*Scaffold Supervisor shall sign if scaffold is more than 100' high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 200' high or if Special Scaffold per 10-6.001

© SCAFFTAG ® // SAFETRAK ® TEL: (0)1446 721029 REF: STS: 420





- **RED** scaffold tag (holder) to be built into scaffold, near each point of access, by scaffold craftsmen
- **RED** scaffold tag (holder) is attached by putting scaffold tube through holder
- Retain **RED** scaffold tag (holder) with a coupler
- Do not attach in any other way. Do not use string, wire, cable ties, etc.
- Only qualified scaffold craftsmen are allowed on a scaffold with a **RED** scaffold tag



- Supervisor of scaffold craftsmen must inspect scaffold as soon as possible after erection or alteration is complete
- Supervisor of scaffold crew fills in and signs “Scaffold Field Inspection Checklist”, using either the:
 - Applicable SA Form # 9614, 9615, 9616, 9617 or
 - “Blue Book” Scaffold Field Inspection Checklist (can be used only by Saudi Aramco certified scaffold supervisors or scaffold inspectors)



مطلوب ارتداء أحزمة
لكامل الجسم

**FULL BODY
HARNES REQUIRED**

SCAFFOLD LOCATION OR # _____
LOAD RATING LIGHT (25 PPM) _____ MEDIUM (50 PPM) _____ SPECIAL _____
MAX # LEVELS WORKING _____

SCAFFOLD SUPERVISOR
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

DATE OF NEXT INSPECTION _____
YELLOW TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO
UNAUTHORIZED ALTERATION OF THIS TAG IS PROHIBITED
Scaffold Supervisor shall not alter this tag after use
© SCAFFTAG 2015

السقالة اجتازت المعاينة

**SCAFFOLD
PASSED INSPECTION**

SCAFFOLD LOCATION OR # _____
LOAD RATING LIGHT (25 PPM) _____ MEDIUM (50 PPM) _____ SPECIAL _____
MAX # LEVELS WORKING _____

SCAFFOLD SUPERVISOR
Inspector # 1 Inspector # 2 Inspector # 3 Inspector # 4
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

SCAFFOLD INSPECTOR
Inspector # 1 Inspector # 2 Inspector # 3 Inspector # 4
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

DATE OF NEXT INSPECTION _____

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-007-00)
UNAUTHORIZED ALTERATION OF SCAFFOLD OR GREEN TAG VOIDS
THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION
*Scaffold Supervisor shall not alter or scaffold before the next inspection. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 30m (100) high or if Special Scaffolding. © 2015
© SCAFFTAG // SAFETRAK TEL: (011446) 721029 REF: STD 419

- Scaffold Supervisor gives completed checklist to Work Permit Issuer's unit, who keeps it until scaffold taken down
- If Scaffold Supervisor decides scaffold is safe to use, he will fill in and sign, as applicable,
 - **GREEN** ("Passed Inspection") or
 - **YELLOW** ("Full Body Harness Required") scaffold tag(s)

Further on in this presentation, you will be shown how to fill in these inserts



- If Scaffold EQUAL TO or LESS THAN 6 meters (20 feet) high or is NOT a “Special Scaffold”:

مطلوب ارتداء أحزمة
لكامل الجسم
FULL BODY
HARNESS REQUIRED

SCAFFOLD LOCATION OR # _____
LOAD BEARING LIGHT (LB PIP) _____
MAX # LEVELS WORKING _____

SCAFFOLD TYPE _____
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

DATE OF NEXT INSPEC _____
YELLOW TAG VA _____

SAUDI ARAMCO
UNAUTHORIZED ALTERATION OF THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION

© SCAFFTAG 01/15

السقالة اجتازت المعاينة
SCAFFOLD
PASSED INSPECTION

SCAFFOLD LOCATION OR # _____
LOAD BEARING LIGHT (LB PIP) _____
MAX # LEVELS WORKING _____

SCAFFOLD SUPERVISOR
Inspector # 1 Inspector # 2 Inspector # 3 Inspector # 4
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

SCAFFOLD INSPECTOR
Inspector # 1 Inspector # 2 Inspector # 3 Inspector # 4
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

DATE OF NEXT INSPECTION _____

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-007-00)
UNAUTHORIZED ALTERATION OF SCAFFOLD OR GREEN TAG VOIDS
THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION

© SCAFFTAG // SAFETRAK TEL: (01144) 721029 REF: STDI 419

- Scaffold Supervisor signs **GREEN** or **YELLOW** scaffold tag(s) and prints date when next inspection is due
- “Date of next inspection” must not be more than 2 weeks ahead
- Supervisor inserts the signed **GREEN** or **YELLOW** tag(s) into the **RED** holder(s)

A “Special Scaffold” is defined in GI 8.001 as either:

- A scaffold over 38 meters (125 feet) tall
- A tube and coupler scaffold which exceeds the maximum height limits in Section 9.11 of the Saudi Aramco *Construction Safety Manual* (SACSM) or the *Scaffold Safety Handbook* (SSH)
- A scaffold cantilevered by more than 3 meters (10 feet)
- A scaffold (except bracket scaffolds) with a total platform area over 30 square meters (320 sq. ft.) which is supported by or hung from an existing structure or building (roof, pipe rack, offshore platform, etc.)
- A scaffold supporting loads greater than 240 kg/sq.m. (50 psf), including piping, equipment, masonry, new or existing structures, or loads other than workers and their materials

- If Scaffold **MORE THAN 6 meters (20 feet)** tall or is a “Special Scaffold”:



مطلوب ارتداء أحزمة
لكامل الجسم
**FULL BODY
HARNES REQUIRED**

SCAFFOLD LOCATION OR # _____
LOAD RATING LIGHT (20 PSF) _____ MEDIUM (30 PSF) _____ SPECIAL _____
MAX # LEVELS WORKING _____

SCAFFOLD TYPE _____
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

DATE OF NEXT INSPEC _____
YELLOW TAG VALID UNTIL _____

NOTE: The S.A. Ref. # on previous version

SAUDI ARAMCO
UNAUTHORIZED ALTERATION
IS PROHIBITED

*Scaffold Supervisor shall not
inspect what he set up

© SCAFFTAG 03/05

السقالة اجتازت المعاينة
**SCAFFOLD
PASSED INSPECTION**

SCAFFOLD LOCATION OR # _____
LOAD RATING LIGHT (20 PSF) _____ MEDIUM (30 PSF) _____ SPECIAL _____
MAX # LEVELS WORKING _____

SCAFFOLD SUPERVISOR
(In-charge) Inspector # 1 Inspector # 2 Inspector # 3 Inspector # 4
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

SCAFFOLD INSPECTOR
(In-charge) Inspector # 1 Inspector # 2 Inspector # 3 Inspector # 4
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

DATE OF NEXT INSPECTION W/D/Y W/D/Y W/D/Y W/D/Y

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-007-00)
UNAUTHORIZED ALTERATION OF SCAFFOLD OR GREEN TAG VOIDS
THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION

*Scaffold Supervisor shall not set up scaffold before this tag is signed. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 20m (65 ft) high or if Special Scaffold. 03/05

© SCAFFTAG // SAFETRAK TEL: (01146) 721029 REF: STD 419

- Scaffold Supervisor signs tag(s) and leaves “Date of Next Inspection” blank
- Supervisor gives the signed **GREEN** or **YELLOW** tag(s) to a Scaffold Inspector
 - Scaffold Inspector may be either a Saudi Aramco or Contractor employee
 - All Scaffold Inspectors and Scaffold Supervisors MUST BE CERTIFIED by Saudi Aramco by July 1, 2003
 - Contact your Loss Prevention Area Office for more information on required certification

- If Scaffold **MORE THAN 6 meters (20 feet)** tall or is a “Special Scaffold”:



**مطلوب ارتداء أحزمة
لكامل الجسم**
**FULL BODY
HARNES REQUIRED**

SCAFFOLD LOCATION OR # _____
LOAD BEARING LIGHT (20 PSI) _____
MAX # LEVELS WORKING _____

SCAFFOLD TYPE _____
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

DATE OF NEXT INSPECTION _____
YELLOW TAG VALID UNTIL _____

NOTE: This is a 10' x 10' tag
printed vertically

SAUDI ARAMCO
UNAUTHORIZED ALTERATION
IS PROHIBITED
*Scaffold Supervisor shall not
inspect what he set up.
© SCAFFTAG 03/05

السقالة اجتازت المعاينة
**SCAFFOLD
PASSED INSPECTION**

SCAFFOLD LOCATION OR # _____
LOAD BEARING LIGHT (20 PSI) _____
MAX # LEVELS WORKING _____

SCAFFOLD SUPERVISOR
(In-charge) Inspector # 1 Inspector # 2 Inspector # 3 Inspector # 4
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

SCAFFOLD INSPECTOR
(In-charge) Inspector # 1 Inspector # 2 Inspector # 3 Inspector # 4
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

DATE OF NEXT INSPECTION _____

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-007-00)
UNAUTHORIZED ALTERATION OF SCAFFOLD OR GREEN TAG VOIDS
THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION
*Scaffold Supervisor shall not set up scaffold before this tag is set up. Scaffold Supervisor and Scaffold
Inspector shall both sign if scaffold is more than 6m (20) high or if Special Scaffold. 03/05
© SCAFFTAG // SAFETRAK TEL: (01146) 721029 REF: STD 419

- Scaffold Inspector inspects scaffold
 - As soon as possible after Scaffold Supervisor’s inspection
- Scaffold Inspector also fills in and signs separate “Scaffold Field Inspection Checklist”
 - Inspector gives this checklist to Work Permit Issuer’s unit, who will keep it until scaffold is taken down

- If Scaffold **MORE THAN 6 meters (20 feet)** tall or is a “Special Scaffold”:



مطلوب ارتداء أحزمة
لكامل الجسم
**FULL BODY
HARNES REQUIRED**

SCAFFOLD LOCATION OR # _____
LOAD RATING LIGHT (20 PPM) _____ MEDIUM (25 PPM) _____ SPECIAL _____
MAX # LEVELS WORKING _____

SCAFFOLD SUPERVISOR
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

DATE OF NEXT INSPEC _____
YELLOW TAG VALID UNTIL _____

NOTE: This tag is valid until the previous working day.

SAUDI ARAMCO
UNAUTHORIZED ALTERATION
IS PROHIBITED
*Scaffold Supervisor shall be
inspected when left sign it

© SCAFFTAG 2011/12

السقالة اجتازت المعاينة
**SCAFFOLD
PASSED INSPECTION**

SCAFFOLD LOCATION OR # _____
LOAD RATING LIGHT (20 PPM) _____ MEDIUM (25 PPM) _____ SPECIAL _____
MAX # LEVELS WORKING _____

SCAFFOLD SUPERVISOR
Inspector # 1 Inspector # 2 Inspector # 3 Inspector # 4
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

SCAFFOLD INSPECTOR
Inspector # 1 Inspector # 2 Inspector # 3 Inspector # 4
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

DATE OF NEXT INSPEC _____
M/D/Y M/D/Y M/D/Y M/D/Y

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-400-407-00)
UNAUTHORIZED ALTERATION OF SCAFFOLD OR GREEN TAG VOIDS
THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION
*Scaffold Supervisor shall sign it scaffold before the next working day. Scaffold Supervisor and Scaffold
Inspector shall sign it scaffold if scaffold is more than 6m (20) high or if Special Scaffold. 21.1.2011

© SCAFFTAG // SAFETRAK TEL: (011446 721029 FAX: 011 415

- If Scaffold Inspector agrees that scaffold is safe to use, he will:
 - Fill in and sign **GREEN** or **YELLOW** scaffold tag(s)
 - Previously given to him by Scaffold Supervisor

- If Scaffold **MORE THAN 6 meters (20 feet)** tall or is a “Special Scaffold”:



مطلوب ارتداء أحزمة
لكامل الجسم
**FULL BODY
HARNES REQUIRED**

SCAFFOLD LOCATION OR # _____
LOAD BEARING LIGHT (20 PSI) _____
MAX # LEVELS WORKING _____

SCAFFOLD SUPERVISOR
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

DATE OF NEXT INSPEC
YELLOW TAG VA

SAUDI ARAMCO
UNAUTHORIZED ALTERATION
PUNISHABLE BY LAW
© SCAFFTAG 01/15

السقالة اجتازت المعاينة
**SCAFFOLD
PASSED INSPECTION**

SCAFFOLD LOCATION OR # _____
LOAD BEARING LIGHT (20 PSI) _____
MAX # LEVELS WORKING _____

SCAFFOLD SUPERVISOR
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

SCAFFOLD INSPECTOR
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

DATE OF NEXT INSPECTION
W/D/Y _____ W/D/Y _____ W/D/Y _____ W/D/Y _____

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-007-00)
UNAUTHORIZED ALTERATION OF SCAFFOLD OR GREEN TAG VOIDS
THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION
© SCAFFTAG // SAFETRAK TEL: (01146) 721029 REF: STDI 419

- The Scaffold Inspector will:
 - Print “Date of Next Inspection” on **GREEN** or **YELLOW** scaffold tag(s)
 - “Date of Next Inspection” shall not be more than 2 weeks ahead
 - Insert the signed **GREEN** or **YELLOW** tag(s) into the **RED** holder(s)



مطلوب ارتداء أحزمة
لكامل الجسم
**FULL BODY
HARNES REQUIRED**

SCAFFOLD LOCATION OR # _____
LOAD RATING LIGHT (25 PSF) _____ MESH USE (50 PSF) _____ SPECIAL _____
MAX # LEVELS WORKING _____

SCAFFOLD SUPERVISOR
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

DATE OF NEXT INSPECTION _____
YELLOW TAG VALID UNTIL _____

NOTE: This tag is valid until the date shown on the tag.

SAUDI ARAMCO
UNAUTHORIZED ALTERATION OF THIS TAG IS PROHIBITED.
*Scaffold Supervisor shall be responsible when this tag is used.
© SCAFFTAG 03/15

السقالة اجتازت المعاينة
**SCAFFOLD
PASSED INSPECTION**

SCAFFOLD LOCATION OR # _____
LOAD RATING LIGHT (25 PSF) _____ MESH USE (50 PSF) _____ SPECIAL _____
MAX # LEVELS WORKING _____

SCAFFOLD SUPERVISOR
ID-Number Inspector # 1 Inspector # 2 Inspector # 3 Inspector # 4
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

SCAFFOLD INSPECTOR*
ID-Number Inspector # 1 Inspector # 2 Inspector # 3 Inspector # 4
PRINT NAME _____
SIGNATURE _____
PHONE # _____
CERTIFICATE # _____

DATE OF NEXT INSPECTION _____
M/D/Y M/D/Y M/D/Y M/D/Y

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-007-00)
UNAUTHORIZED ALTERATION OF SCAFFOLD OR GREEN TAG VOID.
THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION.
*Scaffold Supervisor shall sign if scaffold is less than 100 ft high. Scaffold Supervisor and Scaffold Inspector shall sign if scaffold is more than 100 ft high or if Special Scaffolding. 03/15/06
© SCAFFTAG // SAFETRAK TEL: (01144) 721029 REF: STD 419

- At least every *two weeks*:
- Each scaffold must be re-inspected by Scaffold Supervisor (and Scaffold Inspector if required), using the previous procedure



PRESS HERE
To return to
Home Page

Entering Information



2

السقالة اجتازت المعاينة
SCAFFOLD PASSED INSPECTION

SCAFFOLD LOCATION OR # _____
 LOAD RATING: LIGHT (25 PBF) MEDIUM (50 PBF) SPECIAL
 MAX # LEVELS WORKING _____ TOTAL PLANKED _____

SCAFFOLD SUPERVISOR*

Bi-weekly	Inspector # 1	Inspector # 2	Inspector # 3	Inspector # 4
PRINT NAME				
SIGNATURE				
PHONE #				
CERTIFICATE #				

SCAFFOLD INSPECTOR*

Bi-weekly	Inspector # 1	Inspector # 2	Inspector # 3	Inspector # 4
PRINT NAME				
SIGNATURE				
PHONE #				
CERTIFICATE #				

DATE OF NEXT INSPECTION

M/D/Y	M/D/Y	M/D/Y	M/D/Y
-------	-------	-------	-------

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-407-00)
 UNAUTHORIZED ALTERATION OF SCAFFOLD OR GREEN TAG VOID
 THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION
*Scaffold Supervisor shall sign if scaffold is more than 100' high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 200' high or if Special Scaffold per 12-6.001

© SCAFFTAG ® // SAFETRAK ® TEL: (0)1446 721029 REF: STI 419

لا تستخدم السقالة
DO NOT USE SCAFFOLD

SAUDI ARAMCO
 (S.A.M.S. REF : # 21-000-406-00)

©SCAFFTAG® /// SAFETRAK®
 TEL. +44 (0) 1446 721029
 REF. STH 419 MKII

3

مطلوب ارتداء أحزمة
 لكامل الجسم
FULL BODY HARNESS REQUIRED

SCAFFOLD LOCATION OR # _____
 LOAD RATING: LIGHT (25 PBF) MEDIUM (50 PBF) SPECIAL
 MAX # LEVELS WORKING _____ TOTAL PLANKED _____

SCAFFOLD SUPERVISOR*

Bi-weekly	Inspector # 1	Inspector # 2	Inspector # 3	Inspector # 4
PRINT NAME				
SIGNATURE				
PHONE #				
CERTIFICATE #				

SCAFFOLD INSPECTOR*

Bi-weekly	Inspector # 1	Inspector # 2	Inspector # 3	Inspector # 4
PRINT NAME				
SIGNATURE				
PHONE #				
CERTIFICATE #				

DATE OF NEXT INSPECTION (M / D / Y)

YELLOW TAG VALID UNTIL NEXT INSPECTION DATE

NOTE: "Per 12-6.001, a properly anchored full body harness shall be worn at all times by all persons working on a scaffold that is tagged with a yellow scaffold tag."

SAUDI ARAMCO (S.A.M.S. REF : #21-000-406-00)
 UNAUTHORIZED ALTERATION OF SCAFFOLD OR YELLOW TAG VOID THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION
*Scaffold Supervisor shall sign if scaffold is more than 100' high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 200' high or if Special Scaffold per 12-6.001

© SCAFFTAG ® // SAFETRAK ® TEL: (0)1446 721029 REF: STI 420



السقالة اجتازت المعاينة
SCAFFOLD PASSED INSPECTION

SCAFFOLD LOCATION OR # _____
 LOAD RATING: LIGHT (25 PSF) _____ MEDIUM (50 PSF) _____ SPECIAL _____
 MAX # LEVELS WORKING _____ TOTAL PLANKED _____

SCAFFOLD SUPERVISOR*

Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME				
SIGNATURE				
PHONE #				
CERTIFICATE #				

SCAFFOLD INSPECTOR*

Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME				
SIGNATURE				
PHONE #				
CERTIFICATE #				

DATE OF NEXT INSPECTION	M/D/Y	M/D/Y	M/D/Y	M/D/Y

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-407-00)
 UNAUTHORIZED ALTERATION OF SCAFFOLD OR GREEN TAG VOIDS THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION.
*Scaffold Supervisor shall sign if scaffold is less than 6m (20') high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 6m (20') high or if Special Scaffold per Q 3.004.

© SCAFFTAG™ // SAFETRAK™ TEL: (0)1446 721029 REF STSI 419



For writing on **GREEN** or **YELLOW** scaffold tag inserts, use only permanent marker pens (S/N 1000123296) (old SAMS # 21-000-409-000)

Entering Information

Scaffolds UNDER 6m (20 ft) Tall:

السقالة اجتازت المعاينة
SCAFFOLD PASSED INSPECTION

SCAFFOLD LOCATION OR # _____
LOAD RATING: LIGHT (25 PSF) _____ MEDIUM (50 PSF) _____ SPECIAL _____
MAX # LEVELS WORKING _____ TOTAL PLANKED _____

SCAFFOLD SUPERVISOR*				
Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME				
SIGNATURE				
PHONE #				
CERTIFICATE #				

SCAFFOLD INSPECTOR*				
Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME				
SIGNATURE				
PHONE #				
CERTIFICATE #				

DATE OF NEXT INSPECTION	M/D/Y	M/D/Y	M/D/Y	M/D/Y

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-407-00)
UNAUTHORIZED ALTERATION OF SCAFFOLD OR GREEN TAG VOIDS THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION.
*Scaffold Supervisor shall sign if scaffold is less than 6m (20) high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 6m (20) high or if Special Scaffold per GI 8.001.

© SCAFFTAG™ // SAFETRAK™ TEL: (0)1446 721029 REF STSI 419

- If scaffold is under 6m (20 ft) tall, only the Supervisor of the scaffold craftsmen who erected the scaffold needs to inspect scaffold
 - Unless it's a "Special Scaffold" as defined in GI 8.001
- Scaffold Supervisor fills in and signs **GREEN** or **YELLOW** scaffold tag(s) – as applicable
- When completed, Supervisor inserts the **GREEN** or **YELLOW** scaffold tag(s) in the **RED** holder(s)

Entering Information

السقالة اجتازت المعاينة

SCAFFOLD

PASSED INSPECTION

SCAFFOLD LOCATION OR #: TANK 105
 LOAD RATING: LIGHT (25 PSF) MEDIUM (50 PSF) SPECIAL
 MAX # LEVELS WORKING: 2 TOTAL PLANKED: 2

SCAFFOLD SUPERVISOR*				
Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME	أحمد سليمان	أحمد سليمان	أحمد سليمان	
SIGNATURE	Ahmed Sulaiman	Ahmed Sulaiman	Ahmed Sulaiman	
PHONE #	673-2400	673-2400	673-2400	
CERTIFICATE #	233100	233100	233100	

SCAFFOLD INSPECTOR*				
Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME				
SIGNATURE				
PHONE #				
CERTIFICATE #				

DATE OF NEXT INSPECTION	M/D/Y	M/D/Y	M/D/Y	M/D/Y
	2/14/02	2/28/02	3/14/02	

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-407-00)

UNAUTHORISED ALTERATION OF SCAFFOLD OR GREEN TAG VOID
 THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION

*Scaffold Supervisor shall sign if scaffold is less than 6m (20') high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 6m (20') high or if Special Scaffold per GI 8.001.

© SCAFFTAG™ SAFETRAK™ TEL: (0)1446 721029 REF STSI 419

If Scaffold UNDER 6m (20 ft) Tall:

First inspection

2 weeks later

2 weeks later

Unique scaffold location or number

Load rating of scaffold (check one)

Total number of planked levels (max.)

Maximum number of working levels

Supervisor PRINTS his name

Supervisor's actual signature

Supervisor enters his phone number

Supervisor enters his Saudi Aramco certificate number (or badge number until July 1, 2003)

Date of next inspection - to be entered by Supervisor if scaffold less than 6m (20 ft) tall and NOT a "Special scaffold"

Entering Information

Scaffolds OVER 6m (20 ft) Tall:

السقالة اجتازت المعاينة
SCAFFOLD
PASSED INSPECTION

SCAFFOLD LOCATION OR # _____
LOAD RATING: LIGHT (20 PSF) _____ MEDIUM (20 PSF) _____ SPECIAL _____
MAX # LEVELS WORKING _____ TOTAL PLANKED _____

SCAFFOLD SUPERVISOR*	Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME					
SIGNATURE					
PHONE #					
CERTIFICATE #					

SCAFFOLD INSPECTOR*	Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME					
SIGNATURE					
PHONE #					
CERTIFICATE #					

DATE OF NEXT INSPECTION	M/D/Y	M/D/Y	M/D/Y	M/D/Y

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-407-00)
UNAUTHORIZED ALTERATION OF SCAFFOLD OR GREEN TAG VOID
THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION

*Scaffold Supervisor shall sign if scaffold is less than 6m (20') high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 6m (20') high or if Special Scaffold per GI 8.001.

© SCAFFTAG™ // SAFETRAK™ TEL: (0)1446 721029 REF STSI 419

- If scaffold is over 6m (20 ft) tall or a “Special Scaffold”, the Scaffold Supervisor AND a Scaffold Inspector each need to inspect the scaffold (per GI 8.001)
- Scaffold Supervisor fills in and signs top part of **GREEN** or **YELLOW** scaffold tag(s) – as applicable
- When Supervisor is done, he gives tag(s) to Scaffold Inspector
- Inspector fills in the rest of each tag and places in the **RED** holder(s)

السقالة اجتازت المعاينة

SCAFFOLD

PASSED INSPECTION

SCAFFOLD LOCATION OR #: TANK 105
 LOAD RATING: LIGHT (25 PSF) MEDIUM (50 PSF) SPECIAL
 MAX # LEVELS WORKING: 2 TOTAL PLANKED: 6

SCAFFOLD SUPERVISOR*				
Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME	أحمد سليمان			
SIGNATURE	Ahmed Sulaiman			
PHONE #	673-2400			
CERTIFICATE #	233100			

SCAFFOLD INSPECTOR*				
Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME	خالد صالح			
SIGNATURE	Khaled Saleh			
PHONE #	673-2308			
CERTIFICATE #	431056			

DATE OF NEXT INSPECTION	M/D/Y	M/D/Y	M/D/Y	M/D/Y
	2/14/02			

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-107-00)

UNAUTHORISED ALTERATION OF SCAFFOLD OR GREEN TAG VOID
 THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION

*Scaffold Supervisor shall sign if scaffold is less than 6m (20') high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 6m (20') high or if Special Scaffold per GI 8.001.

© SCAFFTAG™ SAFETRAK™ TEL: (0)1446 721029 REF STS1 419

If Scaffold OVER 6m (20 ft) Tall:

First inspection

Supervisor enters all information on top part of **GREEN** insert

- Same as for scaffolds less than 6m (20 ft) tall
- However, Supervisor does not enter "Date of Next Inspection"

Inspector PRINTS his name

Inspector's actual signature

Inspector enters his phone number

Inspector enters his Saudi Aramco certificate number (or badge number until July 1, 2003)

Date of next inspection - to be entered by Inspector if scaffold MORE than 6m (20 ft) tall OR a "Special Scaffold"

Entering Information

السقالة اجتازت المعاينة

SCAFFOLD

PASSED INSPECTION

SCAFFOLD LOCATION OR #: TANK 105
LOAD RATING: LIGHT (25 PSF) MEDIUM (50 PSF) SPECIAL
MAX # LEVELS WORKING: 2 TOTAL PLANKED: 6

SCAFFOLD SUPERVISOR*

Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME	أحمد سليمان	أحمد سليمان		
SIGNATURE	Ahmed Sulaiman	Ahmed Sulaiman		
PHONE #	673-2400	673-2400		
CERTIFICATE #	253100	253100		

SCAFFOLD INSPECTOR*

Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME	كhaled Saleh	كhaled Saleh		
SIGNATURE	Khaled Saleh	Khaled Saleh		
PHONE #	673-2308	673-2308		
CERTIFICATE #	431056	431056		

DATE OF NEXT INSPECTION	M/D/Y	M/D/Y	M/D/Y	M/D/Y
	2/14/02	2/28/02		

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-407-00)

UNAUTHORISED ALTERATION OF SCAFFOLD OR GREEN TAG VOIDS THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION

*Scaffold Supervisor shall sign if scaffold is less than 6m (20') high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 6m (20') high or if Special Scaffold per GI 8.001.

© SCAFFTAG™ SAFETRAK™ TEL: (0)1446 721029 REF STSI 419

If Scaffold OVER 6m (20 ft) Tall:

2 weeks
later

Supervisor enters all information on top part of **GREEN** insert

- As was done during earlier inspections

Inspector enters information on lower part of **GREEN** insert

- As was done during earlier inspections

“Date of Next Inspection” entered by Inspector

- Must not be more than 2 weeks ahead

Entering Information

السقالة اجتازت المعاينة

SCAFFOLD

PASSED INSPECTION

SCAFFOLD LOCATION OR #: TANK 105
 LOAD RATING: LIGHT (25 PSF) MEDIUM (50 PSF) SPECIAL
 MAX # LEVELS WORKING: 2 TOTAL PLANKED: 6

SCAFFOLD SUPERVISOR*				
Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME	أحمد سليمان	أحمد سليمان	أحمد سليمان	
SIGNATURE	Ahmed Sulaiman	Ahmed Sulaiman	Ahmed Sulaiman	
PHONE #	673-2400	673-2400	673-2400	
CERTIFICATE #	255100	255100	255100	

SCAFFOLD INSPECTOR*				
Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME	كhaled Saleh	كhaled Saleh	Raul Tabango	
SIGNATURE	Khaled Saleh	Khaled Saleh	Raul Tabango	
PHONE #	673-2508	673-2508	682-0860	
CERTIFICATE #	431056	431056	342765	

DATE OF NEXT INSPECTION	M/D/Y	M/D/Y	M/D/Y	M/D/Y
	2/14/02	2/28/02	3/14/02	

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-407-00)

UNAUTHORISED ALTERATION OF SCAFFOLD OR GREEN TAG VOIDS THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION

*Scaffold Supervisor shall sign if scaffold is less than 6m (20') high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 6m (20') high or if Special Scaffold per GI 8.001.

© SCAFFTAG™ SAFETRAK™ TEL: (0)1446 721029 REF STSI 419

If Scaffold OVER 6m (20 ft) Tall:

2 weeks later

Supervisor enters all information on top part of **GREEN** insert

- As was done during earlier inspections

Inspector enters information on lower part of **GREEN** insert

- As was done during earlier inspections

“Date of Next Inspection” entered by Inspector

- Must not be more than 2 weeks ahead

And so on, with re-inspection every 2 weeks

Entering Information

If Scaffold UNDER 6m (20 ft) Tall:

Supervisor enters unique scaffold location or #

Load rating of scaffold (check one)

Maximum number of working levels

Total number of planked levels (max.)

Supervisor PRINTS his name

Supervisor's actual signature

Supervisor enters his phone number

Supervisor enters his Saudi Aramco certificate number (or badge number until July 1, 2003)

"Date of Next Inspection" to be entered by Supervisor, if scaffold less than 6m (20 ft) tall or NOT "Special"

مطلوب ارتداء أحزمة
لكامل الجسم

FULL BODY HARNESS REQUIRED

SCAFFOLD LOCATION OR #:	Tank 106		
LOAD RATING: LIGHT (25 PSF)	<input checked="" type="checkbox"/>	MEDIUM (50 PSF)	SPECIAL
MAX # LEVELS: WORKING	2	TOTAL PLANKED	2
SCAFFOLD SUPERVISOR*		SCAFFOLD INSPECTOR*	
PRINT NAME	AHMED SULAIMAN	PRINT NAME	
SIGNATURE	Ahmed Sulaiman	SIGNATURE	
PHONE #	673-2100	PHONE #	
CERTIFICATE #	233100	CERTIFICATE #	
DATE OF NEXT INSPECTION (M / D / Y)	2/14/02		
YELLOW TAG VALID UNTIL NEXT INSPECTION DATE			

NOTE: *Per GI 8.001, a properly anchored full body harness shall be worn at all times by all persons working on a scaffold that is tagged with a yellow scaffold tag.

SAUDI ARAMCO (S.A.M.S. REF : #21-000-408-00)
UNAUTHORISED ALTERATION OF SCAFFOLD OR YELLOW TAG VOIDS THIS TAG AND WILL
MAKE YOU SUBJECT TO DISCIPLINARY ACTION

*Scaffold Supervisor shall sign if scaffold is less than 6m (20') high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 6m (20') high or if Special Scaffold per GI 8.001.

© SCAFFTAG ® /// SAFETRAK ® TEL: (0)1446 721029 REF STSI 420

Entering Information

If Scaffold OVER 6m (20 ft) Tall or a “Special Scaffold”:

Supervisor enters all information on top and left part of **YELLOW** insert

- Same as for scaffolds less than 6m (20 ft) tall
- However, Supervisor does not enter “Date of Next Inspection”

Inspector PRINTS his name

Inspector's actual signature

Inspector enters his phone number

Inspector enters his Saudi Aramco certificate number (or badge number until July 1, 2003)

“Date of Next Inspection” to be entered by Inspector, if scaffold **MORE** than 6m (20 ft) tall or **NOT** “Special”

مطلوب ارتداء أحزمة
لكامل الجسم

FULL BODY HARNESS REQUIRED

SCAFFOLD LOCATION OR #:	Tank 106		
LOAD RATING: LIGHT (25 PSF)	<input checked="" type="checkbox"/>	MEDIUM (50 PSF)	SPECIAL
MAX # LEVELS: WORKING	2	TOTAL PLANKED	6
SCAFFOLD SUPERVISOR*		SCAFFOLD INSPECTOR*	
PRINT NAME	AHMED SULAIMAN	PRINT NAME	KHALED SALEH
SIGNATURE	Ahmed Sulaiman	SIGNATURE	Khaled Saleh
PHONE #	6732100	PHONE #	673-2108
CERTIFICATE #	233100	CERTIFICATE #	431056
DATE OF NEXT INSPECTION (M / D / Y)	2/14/02		
YELLOW TAG VALID UNTIL NEXT INSPECTION DATE			

NOTE: Pursuant to G.S. 901, a properly anchored full body harness shall be worn at all times by all persons working on a scaffold that is tagged with a yellow scaffold tag.

SAUDI ARAMCO (S.A.M.S. REF : #21-000-408-00)
UNAUTHORISED ALTERATION OF SCAFFOLD OR YELLOW TAG VOIDS THIS TAG AND WILL
MAKE YOU SUBJECT TO DISCIPLINARY ACTION

*Scaffold Supervisor shall sign if scaffold is less than 6m (20') high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 6m (20') high or if Special Scaffold per GI 8.001.

© SCAFFTAG ® /// SAFETRAK ® TEL: (0)1446 721029 REF STSI 420

Entering Information

السقالة اجتازت المعاينة
SCAFFOLD PASSED INSPECTION

SCAFFOLD LOCATION OR # TANK 05
 LOAD RATING: LIGHT (25 PSF) MEDIUM (50 PSF) SPECIAL
 MAX # LEVELS WORKING 2 TOTAL PLANKED 6

SCAFFOLD SUPERVISOR*				
Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME	ع. سليمان	ع. سليمان	ع. سليمان	ع. سليمان
SIGNATURE	ع. سليمان	ع. سليمان	ع. سليمان	ع. سليمان
PHONE #	675-2400	675-2400	675-2400	675-2400
CERTIFICATE #	233400	233400	233400	233400

SCAFFOLD INSPECTOR*				
Bi-weekly	Inspection # 1	Inspection # 2	Inspection # 3	Inspection # 4
PRINT NAME	ك. دةلي	ك. دةلي	ك. دةلي	ك. دةلي
SIGNATURE	ك. دةلي	ك. دةلي	ك. دةلي	ك. دةلي
PHONE #	675-2500	675-2500	675-2500	675-2500
CERTIFICATE #	45056	45056	45056	45056

DATE OF NEXT INSPECTION	W/D/Y	W/D/Y	W/D/Y	W/D/Y
	2/14/02	2/28/02	3/14/02	3/28/02

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-407-00)
 UNAUTHORISED ALTERATION OF SCAFFOLD OR GREEN TAG VOID
 THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION

*Scaffold Supervisor shall sign if scaffold is less than 6m (20') high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 6m (20') high or if Special Scaffold per Q2 & Q3.

© SCAFF TAG™ BY SAFETRAK™ TEL: (0)1446 721029 REF STS1 419

- Upon completion of the four inspection columns on **GREEN** scaffold tag:
 - New **GREEN** tag(s) must be filled in and inserted into the same **RED** holder(s)
 - Using the previous procedure
 - Fully used **GREEN** tag(s) must be kept on file until scaffold is taken down

Entering Information

● **YELLOW** Scaffold Tag

- After every bi-weekly re-inspection:
 - New **YELLOW** scaffold tag(s) must be filled in, and
 - Inserted into the same **RED** holder(s)
 - Using the previous procedure
- Fully used **YELLOW** scaffold tag(s) must be kept on file until scaffold is taken down

<p>مطلوب ارتداء أحزمة لكامل الجسم</p> <p>FULL BODY HARNES REQUIRED</p>			
SCAFFOLD LOCATION OR #:	T.M.C. 105		
LOAD RATING: LIGHT (25 PSF)	<input checked="" type="checkbox"/> MEDIUM (50 PSF)	<input type="checkbox"/> SPECIAL	
MAX # LEVELS WORKING	2	TOTAL PLANKED	6
SCAFFOLD SUPERVISOR		SCAFFOLD INSPECTOR	
PRINT NAME	S. S. S. MASH	PRINT NAME	Y. O. O. E. I.
SIGNATURE	S. S. S. MASH	SIGNATURE	Y. O. O. E. I.
PHONE #	675-2400	PHONE #	675-2500
CERTIFICATE #	255100	CERTIFICATE #	251056
DATE OF NEXT INSPECTION (M / D / Y)	4/10/02		
YELLOW TAG VALID UNTIL NEXT INSPECTION DATE			
<small>NOTE: "Full Body Harness" is a properly anchored full body harness shall be worn at all times by all persons working on a scaffold that is tagged with a yellow scaffold tag.</small>			
SAUDI ARAMCO (S.A.M.S. REF : #21-000-408-00) <small>UNAUTHORIZED ALTERATION OF SCAFFOLD OR YELLOW TAG VIOLATES THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION</small>			
<small>*Scaffold Supervisor shall sign if scaffold is less than 20' high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 20' high or if Special Scaffold per SA-8.061.</small>			
<small>© SCAFFTAG ® / SAFETRAK ® TEL: (0)1448 721029 REF STS: 420</small>			



PRESS HERE
To return to
Home Page

Entering Information

Summary

1

2

السقالة اجتازت المعاينة
SCAFFOLD PASSED INSPECTION

SCAFFOLD LOCATION OR # _____
 LOAD RATING: LIGHT (25 PSF) MEDIUM (50 PSF) SPECIAL
 MAX # LEVELS WORKING _____ TOTAL PLANKED _____

SCAFFOLD SUPERVISOR*

Bi-weekly	Inspector # 1	Inspector # 2	Inspector # 3	Inspector # 4
PRINT NAME				
SIGNATURE				
PHONE #				
CERTIFICATE #				

SCAFFOLD INSPECTOR*

Bi-weekly	Inspector # 1	Inspector # 2	Inspector # 3	Inspector # 4
PRINT NAME				
SIGNATURE				
PHONE #				
CERTIFICATE #				

DATE OF NEXT INSPECTION

M/D/Y	M/D/Y	M/D/Y	M/D/Y
-------	-------	-------	-------

GREEN TAG VALID UNTIL NEXT INSPECTION DATE

SAUDI ARAMCO (S.A.M.S. REF : #21-000-407-00)
 UNAUTHORIZED ALTERATION OF SCAFFOLD OR GREEN TAG VOID
 THIS TAG AND WILL MAKE YOU SUBJECT TO DISCIPLINARY ACTION
*Scaffold Supervisor shall sign if scaffold is more than 6m (20') high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 6m (20') high or if Special Scaffold per IS 6 201

© SCAFFTAG ® // SAFETRAK ® TEL: (0)1446 721029 REF STS: 419



3

مطلوب ارتداء أحزمة
 لكامل الجسم
FULL BODY HARNESS REQUIRED

SCAFFOLD LOCATION OR # _____
 LOAD RATING: LIGHT (25 PSF) MEDIUM (50 PSF) SPECIAL
 MAX # LEVELS WORKING _____ TOTAL PLANKED _____

SCAFFOLD SUPERVISOR*

PRINT NAME	
SIGNATURE	
PHONE #	
CERTIFICATE #	

SCAFFOLD INSPECTOR*

PRINT NAME	
SIGNATURE	
PHONE #	
CERTIFICATE #	

DATE OF NEXT INSPECTION (M / D / Y) _____
YELLOW TAG VALID UNTIL NEXT INSPECTION DATE

MKI: "The O & B", a properly anchored full body harness shall be worn at all times by all persons working on a scaffold that is tagged with a yellow scaffold tag."

SAUDI ARAMCO (S.A.M.S. REF : #21-000-406-00)
 UNAUTHORIZED ALTERATION OF SCAFFOLD OR YELLOW TAG VOID THIS TAG AND WILL
 MAKE YOU SUBJECT TO DISCIPLINARY ACTION
*Scaffold Supervisor shall sign if scaffold is more than 6m (20') high. Scaffold Supervisor and Scaffold Inspector shall both sign if scaffold is more than 6m (20') high or if Special Scaffold per IS 6 201.

© SCAFFTAG ® // SAFETRAK ® TEL: (0)1446 721029 REF STS: 420



MAJOR BENEFITS OF SAUDI ARAMCO'S SCAFFOLD TAGGING SYSTEM

Saves lives

Provides compliance with contract requirements

Saves time

Easy to use

Weather resistant

Standardized company-wide system



3 MAIN ELEMENTS

High visibility “DO NOT USE SCAFFOLD” **RED** scaffold tag (holder)

GREEN “PASSED INSPECTION” scaffold tag (insert)

YELLOW “FULL BODY HARNESS REQUIRED” scaffold tag (insert)

Summary

For additional information on the
Saudi Aramco scaffold tagging
system, please contact your Area
Loss Prevention Office



PRESS HERE
To return to
Home Page



PRESS HERE
TO END SHOW

Summary